
Amendment 2

SHORELINE EROSION PROJECT, PHASE 2A

LAKE SHELBYVILLE, KASKASKIA RIVER,
SHELBY AND MOULTRIE COUNTIES, ILLINOIS

SOLICITATION NUMBER: DACW43-99-B-0234

US Army Corps
Of Engineers
St. Louis District

September 1999

Table Of Contents

Contract Requirements

SF Form 30

2 & 3

Section 00010

Amendment Of Solicitation/Modification Of Contract

Narrative

Bidding Schedule

Sketch

| | | | | | | | |
|--|--|-------------------------------|---------------------|---|--------------------|--------------------------------|-------------------------------------|
| AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT | | | 1. CONTRACT ID CODE | | PAGE OF PAGES 3 | | |
| 2. AMENDMENT/MODIFICATION NO. 0002 | | 3. EFFECTIVE DATE 09/29/99 | | 4. REQUISITION/PURCHASE REQ. NO. W81C8X-9215-8244 | | 5. PROJECT NO. (If applicable) | |
| 6. ISSUED BY CODE | | B3P0000 | | 7. ADMINISTERED BY (If other than Item 6) CODE | | EMPTY | |
| US ARMY ENGINEER DISTRICT ST. LOUIS CE ATTN: CEMVS-CT 1222 SPRUCE STREET RM 4.207 ST. LOUIS, MISSOURI 63103-2833 KATHLEEN A. EBMEIER C07 (314) 331-8511 | | | | | | | |
| 8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) | | | | (X) 9A. AMENDMENT OF SOLICITATION NO. DACW43-99-B-0234 | | | |
| | | | | | | | 9B. DATED (SEE ITEM 11) 09/07/99 |
| | | | | 10A. MODIFICATION OF CONTRACT/ORDER NO. | | | |
| | | | | 10B. DATED (SEE ITEM 13) | | | |
| CODE 99999 | | FACILITY CODE | | | | | |
| 11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS | | | | | | | |
| <input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. | | | | | | | |
| Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: | | | | | | | |
| (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified. | | | | | | | |
| 12. Accounting and Appropriation Data (If required) | | | | | | | |
| 13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14. | | | | | | | |
| (X) A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A. | | | | | | | |
| B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc). SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b). | | | | | | | |
| C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: | | | | | | | |
| D. OTHER (Specify type of modification and authority) | | | | | | | |
| E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office. | | | | | | | |
| 14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) | | | | | | | |
| AMENDMENT OF SOLICITATION | | | | | | | |
| Specifications and Drawings for: SHORELINE EROSION PROTECTION PHASE 2A, LAKE SHELBYVILLE, KASKASKIA RIVER, SHELBY AND MOULTRIE COUNTIES, ILLINOIS are amended as follows: | | | | | | | |
| BID OPENING DATE AND TIME: All references to bid opening for referenced solicitation are hereby changed to read "15 October 1999". The time and place for receipt of bids remains the same. | | | | | | | |
| Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect. | | | | | | | |
| 15A. NAME AND TITLE OF SIGNER (Type or print) | | | | 16A. NAME AND TITLE OF SIGNER (Type or print) | | | |
| 15B. CONTRACTOR/OFFEROR | | 15C. DATE SIGNED | | 16B. UNITED STATES OF AMERICA | | 16C. DATE SIGNED | |
| _____ (Signature of person authorized to sign) | | | | BY _____ (Signature of Contracting Officer) | | | |
| NSN 7540-01-152-9070 PREVIOUS EDITION UNUSABLE | | | | | | | |
| Created using PerForm Pro software. | | | | | | | |
| STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243 | | | | | | | |

BIDDING SCHEDULE

Pages 00010-3 and 00010-4. Delete these pages in their entirety, and substitute therefor the attached like-numbered pages, which reflect a change in description of Bid Items No. 0002 and No. 0015.

REPRESENTATIONS AND CERTIFICATIONS

Page 00600-4, Clause 5. In the blank space in the second line of paragraph (a)(1) insert the SIC Code "1629", and in the blank space in paragraph (a)(2) insert "\$17 million" for the small business size standard.

SPECIAL CLAUSES

Page 00800-2, Clause 6. In the third line down of paragraph a., place a period after the phrase "investigations by surveys", and delete the remainder of the paragraph.

TECHNICAL PROVISIONS

Page 01025-1, Paragraph 1.2. In the fourth line of this paragraph after the phrase "Dam West Area" add the phrase "sum job price for "Stripping",".

Page 02225-3, Paragraph 2.4. In the second line down from the top of the page delete the sentence that starts "The existing...suitable material.", and substitute therefor the following:

"The material less than 6-inches in diameter in the existing stone material stockpiled from previous contracts may be used as parking lot embankment material in locations shown on the drawings provided the material is covered with a minimum of one-foot of suitable material. All material greater than 6-inches in diameter shall be disposed off site."

Page 02225-3, Paragraph 3.2. After this paragraph add the following new paragraph:

"3.2.1 Foundation Preparation for Grout filled Fabric Mattress. The surface to receive geotextile shall be prepared such that any rock and obstructions that protrude more than 4 inches from the prevailing slope, shall be rearranged or removed from the slope. Erosion features such as rills, gullies, etc., shall be backfilled with bedding material meeting the requirements of SECTION 02270 STONE PROTECTION before geotextile and 8-inch filter point revetment mattress placement."

Pages 02245-5 and 02245-6, Paragraph 3.2. Delete this paragraph in its entirety, and substitute therefor the following revised paragraph:

"3.2 INSTALLATION. The 8-inch filter point revetment mattress shall be placed in the locations shown on the drawings. The installer of the 8-inch filter point revetment mattress shall have at least 3 previous installations of a filter point mattress system. The manufacturer's representative shall be on site for the first three days to assure proper installation and grouting of the 8-inch filter point revetment mattress. The 8-inch filter point revetment mattress shall be installed and grouted per the manufacturer's recommendation. The 8-inch filter point revetment mattress shall be trenched at the top and

sides a minimum of two feet, or deeper if recommended by the manufacturer. Adjacent 8-inch filter point revetment mattress panels shall be connected by sewing or by means of zippers per manufacturer's recommendation. The top two layers of fabric and the bottom two layers of fabric shall be joined separately permitting full mat thickness between the two parallel seams. A single seam in which all four layers of fabric are joined together at one point will not be permitted. In no case will simple butt joints between panels be allowed. Grout stops may be installed parallel to and in between individual mill widths at predetermined intervals to regulate the flow of the grout. Grout stops shall be so designed to produce full mat thickness along the entire length of the grout stop. At the time of installation the 8-inch filter point revetment mattress shall be rejected if it has defects, rips, holes, flaws, deterioration or damage incurred during manufacture, transportation, storage or installation and shall be replaced at no additional cost to the Government. The surface to receive the geotextile shall be prepared as specified in SECTION 02225-3.2.1. The 8-inch filter point revetment mattress shall be laid smooth and free of tension, stress folds, wrinkles or creases. Existing utility lines, such as gas, water, electric, etc., existing walkway ramps and other existing items that may be encountered during installation of the 8-inch filter point revetment mattress shall be temporarily relocated and reinstalled on top of the revetment mattress after the grout has reached a minimum 75% of the designed strength. No interruption of any utility service will be allowed."

DRAWINGS

NOTE: Revised drawings reflecting the following changes will be furnished to the successful bidder.

Drawing No. K-S-3/C-7. In the TYPICAL SECTION GROUT FILLED FABRIC MATTRESS SLOPE PROTECTION AREAS 1, 2, AND 3 and DETAIL A, change the embedment dimension from 1-Foot to 2-Feet.

Drawing No. K-S-3/C-8. Revise this drawing as shown on the attached Sketch No. 1.

Drawing No. K-S-3/A-7. In Section 2, 3, 5, and 7 on this drawing, change the 2-inch "Asphalt Paving" callout to "Bituminous Concrete Surface Class 1, Type 1, Mix C".

Encl
Bidding Schedule, Pages 00010-3 and 00010-4
Sketch No. 1

xxx

(10-99)

SECTION 00010
SUPPLIES OR SERVICES AND PRICES/COSTS

| ITEM | DESCRIPTION | QUANTITY | U/I | UNIT PRICE | AMOUNT |
|---|---------------------------------|----------|-----|------------|--------|
| BASE BID ITEMS | | | | | |
| 0001 | Mobilization and Demobilization | 1.00 | SJ | _____ | _____ |
| DAM WEST AREA | | | | | |
| 0002 | Stripping | 1.00 | SJ | _____ | _____ |
| 0003 | Parking Lot | 1.00 | SJ | _____ | _____ |
| 0004 | Picnic Shelter | 1.00 | SJ | _____ | _____ |
| 0005 | Tree Planting | 1.00 | SJ | _____ | _____ |
| 0006 | Road Repair: | | | | |
| 0006A | First 10 SY | 10.00 | SY | _____ | _____ |
| 0006B | All Over 10 SY | 20.00 | SY | _____ | _____ |
| 0007 | Establishment of Turf | 1.00 | SJ | _____ | _____ |
| TOTAL DAM WEST AREA BASE BID ITEMS 0002 THRU 0007 | | | | \$_____ | |
| FINDLAY MARINA | | | | | |
| 0008 | Bedding Material | 830.00 | TN | _____ | _____ |
| 0009 | Riprap, 140-Lb Topsize | 1000.00 | TN | _____ | _____ |
| 0010 | Quarry Run Stone: | | | | |
| 0010A | First 300 TN | 300.00 | TN | _____ | _____ |
| 0010B | All Over 300 TN | 300.00 | TN | _____ | _____ |
| 0011 | Grout-Filled Fabric Mattress | 3180.00 | SY | _____ | _____ |

| | | | | | |
|-------|-----------------------|---------|----|-------|-------|
| 0012 | Geotextile | 3200.00 | SY | _____ | _____ |
| 0013 | Aggregate Base Course | 25.00 | TN | _____ | _____ |
| 0014 | Road Repair | | | | |
| 0014A | First 50 SY | 50.00 | SY | _____ | _____ |
| 0014B | All Over 50 SY | 150.00 | SY | _____ | _____ |

TOTAL FINDLAY MARINA BASE BID ITEMS 0008 THRU 0014b \$_____

BO WOOD AREA

| | | | | | |
|-------|----------------------------------|-------|----|-------|-------|
| 0015 | Clearing, Grubbing and Stripping | 1.00 | SJ | _____ | _____ |
| 0016 | Parking Lot | 1.00 | SJ | _____ | _____ |
| 0017 | Amphitheater | 1.00 | SJ | _____ | _____ |
| 0018 | Road Repair: | | | | |
| 0018A | First 20 SY | 20.00 | SY | _____ | _____ |
| 0018B | All Over 20 SY | 50.00 | SY | _____ | _____ |
| 0019 | Establishment of Turf | 1.00 | SJ | _____ | _____ |
| 0020 | Pad Mounted Transformer | 1.00 | SJ | _____ | _____ |

TOTAL BO WOOD AREA BASE BID ITEMS 0015 THRU 0020 \$_____

TOAL ALL BASE BID ITEMS 0001 THRU 0020 \$_____

ADDITIVE BID ITEMS

| | | | | | |
|------|----------------------|------|----|-------|-------|
| 0021 | Clearing, Loop Roads | 1.00 | SJ | _____ | _____ |
|------|----------------------|------|----|-------|-------|

